```
<110>Cerundolo, Vincenzo
<120> Derivatives of NY-ESO-1 Peptides and Uses Thereof
<130> LUD 5629.1
<140>
<141>
<150>US 09/440,621
<151>1999-11-15
<150> US 09/165,546
<151> 1998-10-02
<150> US 09/062,422
<151> 1998-04-17
<150> US 08/725,162
<151>1996-10-03
<160>18
<210>1
<211>11
<212>PRT
<213>Homo sapiens
<400> 1
Ser Leu Leu Met Trp Ile Thr Gln Cys Phe Leu
1
                                 10
<210>2
<211>9
<212>PRT
<213>Homo sapiens
<400>2
Ser Leu Leu Met Trp Ile Thr Gln Cys
<210>3
<211>9
<212>PRT
<213>Homo sapiens
<400>3
```

```
Gln Leu Ser Leu Leu Met Trp Ile Thr
 1
 <210>4
 <211>9
 <212>PRT
<213>Homo sapiens
<400>4
Tyr Met Asp Gly Thr Met Ser Gln Val
<210>5
<211>9
<212>PRT
<213>H. influenzae
<400>5
Gly Ile Leu Gly Phe Val Phe Thr Leu
                 5
<210>6
<211>9
<212>PRT
<213> Artificial sequence
<220>
<221>Mutagen
<222>9
<223>Synthesized. Position 9 is mutated from Cys to Ala
<400>6
Ser Leu Leu Met Trp Ile Thr Gln Ala
1
<210>7
<211>9
<212>PRT
<213>Artificial sequence
<220>
<221>Mutagen
<222>9
<223>Synthesized. Position 9 is mutated from Cys to Leu
<400>7
Ser Leu Leu Met Trp Ile Thr Gln Leu
1
```

```
<210>8
 <211>9
 <212>PRT
 <213>Artificial sequence
<220>
<221>Mutagen
<222>9
<223>Synthesized. Position 9 is mutated from Cys to Leu
<400>8
Ser Leu Leu Met Trp Ile Thr Gln Val
<210>9
<211>34
<212>DNA
<213>Homo sapiens
<400>9
gcaggatccc ggctcccatc ctcagggtga gggc
                                                  34
<210>10
<211>9
<212>PRT
<213>Homo sapiens
<220>
<221>Mutagen
<222>9
<223> Syntheisized. Xaa is any amino acid, preferably one with a non-polar side chain,
      such as Ala, Val, Leu, Ile, Pro, Phe, Met, Trp, or Gly
<400>10
Ser Leu Leu Met Trp Ile Thr Gln Xaa
<210>11
<211>10
<212>PRT
<213>Homo sapiens
<400>11
Ser Leu Leu Met Trp Ile Thr Gln Cys Phe
                5
                                   10
<210>12
<211>9
<212>PRT
```

```
<213>Artificial sequence
<220>
<221>Mutagen
<222>9
<223> Synthesized. At position 9, of SEQ ID NO:2, Cys is replaced by Ile
<400>12
Ser Leu Leu Met Trp Ile Thr Gln Ile
<210>13
<211>10
<212>PRT
<213>Artificial sequence
<220>
<221>Mutagen
<222>10
<223>Synthesized. At position 10, of SEQ ID NO: 11, Phe is replaced by Val
<400>13
Ser Leu Leu Met Trp Ile Thr Gln Cys Val
<210>14
<211>10
<212>PRT
<213>Artificial sequence
<220>
<221>Mutagen
<222>10
<223>Synthesized. At position 10 of SEQ ID NO: 11, Phe is replaced by Ile
<400>14
Ser Leu Leu Met Trp Ile Thr Gln Cys Ile
<210>15
<211>10
<212>PRT
<213>Artificial sequence
<220>
<221>Mutagen
<222>9..10
<223>Sythesized. At positions 9 and 10 of SEQ ID NO: 11, Cys Phe is replaced by Ala Leu
<400>15
Ser Leu Leu Met Trp Ile Thr Gln Ala Leu
1
                                  10
```

```
<210>16
<211>10
<212>PRT
<213>Artificial sequence
<220>
<221>Mutagen
<222>9..10
<223>Synthesized. At positions 9 and 10 of SEQ ID NO: 11, Cys Phe is replaced by Ala Ile
<400>16
Ser Leu Leu Met Trp Ile Thr Gln Ala Ile
1
<210>17
<211>10
<212>PRT
<213>Artificial sequence
<220>
<221>Mutagen
<222>9
<223>Synthesized. At position 9 of SEQ ID NO: 11, Cys is replaced by Ala
<400>17
Ser Leu Leu Met Trp Ile Thr Gln Ala Phe
<210>18
<211>10
<212>PRT
<213>Artificial sequence
<220>
<221>Mutagen
<222>9..10
<223>Synthesized. The first Xaa is Cys or Ala. The second Xaa
is any amino acid, and is preferably Val, Phe, Ile or Leu
<400>18
Ser Leu Leu Met Trp Ile Thr Gln Xaa Xaa
```